

SMART HOTELS



ADVANCED SYSTEMS FOR COMPLETE HOTEL SOLUTION





Designed in the USA

MICROAXS is a brand of MICROLINK NETWORKS with its headquarters in USA, UK and MENA, a family business at a global scale.

MICROAXS means smart buildings automation, easy to install and to set up, with complete features for the control of lights, window shutters, air conditioning, security and audio.

We constantly develop, innovate high quality new design, efficiency and user experience trends at the same time all solutions are strictly controlled in terms of quality, thus ensuring an outstanding performance.

Our R&D team is constantly anticipating new design, efficiency and user experience trends and at the same time all solutions are strictly controlled in terms of quality, thus ensuring an outstanding performance.

With thousands of MICROAXS products installed worldwide, we keep reinventing our technology to bring you the best comfort and energy efficiency.





MICROAXS Hotel GRMS Solutions

all you need is MICROAXS...

- Your guests feel at home with MICROAXS hotel solutions,
- With MICROAXS Hotel solution, your guests will feel home comfort,
- User-friendly minimalist design,
- Rich functional options.

Every detail in a hotel should match the guest's expectations. The main purpose of MICROAXS Hotel solution is to create a solution that meets all needs with comfort, aesthetics and elegance. However, by creating an easily manageable organization with hotel management system integrations, ensuring the satisfaction of customer and hotel management together makes our hotel solutions more attractive.



Comfort

Your guests will get used to comfort with scenarios that make life easier (such as sleep, movie, comfort mode).



Design

Combines elegance and aesthetics with user-friendly design.



Flexiblity

Solutions can be developed according to your requests.







all you need is MICROAXS...









SIGNATURE Series consist of user friendly elegant glass design. It is suitable to be a part of your design, with various color options.





DND MUR

The SIGNATURE series DND MUR display, where you can easily see whether your guests are in the room, consists of a glass touch screen and includes room number, hotel logo, DND, Make Up indicators and doorbell buttons.



Touch operated



Icon options




Glass surface




Various color option



Frameless, minimalist design







Bedside panel

SIGNATURE Series offers all the solutions you need in hotel operations in the same concept. SIGNATURE continue to add value to your space with frameless design. A unique user experience with its touch design and minimalist icons. All the solutions you need a re just a touch away.



Touch operated



Glass surface



Switch and Socket together



Frameless, minimalist design



Icon options




Away, comfort, night and protection modes



Independent programmable buttons



Various color option



All the socket options you need in one.





Thermostat

SIGNATURE thermostats continue to add value to your space with frameless design. SIGNATURE offers a unique user experience and intuitive operation with its touch design and minimalist icons.



Touch operated



Glass surface



Thermostat and switch together



Additional heating-cooling control



Frameless, minimalist design



Icon options



Fully automatic heating-cooling transition



Away, comfort, night and protection modes



Independent programmable buttons



Various color option









Welcome panel

When entering or leaving your room, desired scenarios can be realized with a single touch, and you can experience safety and comfort together thanks to the RF-ID card holder you use at the entrances.



Touch operated



Glass surface



Switch and Card Holder together



Frameless, minimalist design



Icon options



Away, comfort, night and protection modes



Independent programmable buttons



Various color option





Variations

Switches

























Thermostats













Card Holders



















ON



OFF





DIM DOWN











LIGHT



LIGHT
















MUTE

LIGHT



DOWN







ACTIVE









DISTURB







SCENE



... other on request

Black Glass



White Glass




Hundreds of RAL surface colors...





all you need is MICROAXS...



ELITE Design Series consist of user friendly elegant glass design. It is suitable to be a part of your design, with various color options.





KNX MX-ET100 Glass Temperature

The individual feel-good temperature can be easily set with the heating and cooling controllers KNX MX-ET100. Illuminated digits show the setpoint temperature, which is changed with the intuitively understandable "Plus" and "Minus" buttons. KNX MX-ET100 has additional controls for the fan of fan coil systems. The KNX MX-ET100 Glass Temperature, on the other hand, controls the room temperature purely according to automatic specifications.

- Control of heating/cooling
- Integrated temperature sensor with calculation of mixed values (own/external value)
- Output of 2 temperature threshold values
- Operating voltage: bus voltage



Touch operated



Various color option



Glass surface



Frameless, minimalist design



Temperature controller with setpoint adjustment

- Display of temperature, adjustment of target temperature via push buttons
- The temperature display can light up permanently or only briefly after touching

PI control of heating and air conditioning

The temperature PI controller in the application can be used to control single- and two-stage heating and cooling systems, including combined systems with switchover between heating and cooling. The reference here is always the comparison between the measured actual temperature and the desired target temperature





KNX MX-E101/102/104 Push Buttons

The touch buttons KNX MX-E101/102/104 are flexibly programmable. For example as a light switch, for dimming, to move shading up and down or to call up scenes. With an integrated sensor, they unobtrusively detect the temperature on site.

- KNX push button with touch surface
- LED for optical feedback in each button field
- White LED for visual feedback in each button field. LEDs can be controlled either together as ambient light or individually as feedback. The feedback signal can be a permanent light or switch on only briefly after a button is touched
- Integrated temperature sensor with calculation of mixed values (own/external value)
- Logic gates (2 AND, 2 OR)



Touch operated



Various color option




Glass surface



Frameless, minimalist design


Practical extra: The area function

The double and four-gang versions of KNX MX-E101/102/104 have an additional switching function when touching several fields. All you need to do is wipe over the button or briefly place your hand on it to trigger a scene or switch on the light, for example.





Topology



RECEPTION



STANDARD & CERTIFICATES

MicroaXs Technology products are and will always be in compliance with international open standards such as KNX, DALI, TCP/IP and WiFi.







Sockets

The SIGNATURE series offers glass surface, minimalist design, wide collection up to $5\,$ gang, wide rang of colors, wide range core options.

MODULAR EUROPEAN SOCKETS



EUROPEAN SOCKETS



MODULAR BRITISH SOCKETS



BRITISH SOCKETS



MODULAR ITALIAN SOCKETS









2P+E - 13 A/250V ac - 15 A/127V ac

German Standard Power Socket



2P+E-16A-250V ac

SAT TV



0 db

SAT



TV

1M-1P-NO+NO-10 A With interlock

Push

Buttons

Data Socket

RJ11

Telephone

Socket

USB power supply

Double USB power supply

Audio Socket

USB



Double RCA

Grounded Power Socket



2P+E - 13 A/250V ac - 15 A/127V ac

UPS Power Socket



2P+E - 13 A/250V ac - 15 A/127V ac

Child Proof Power Socket



2P+E - 13 A/250V ac - 15 A/127V ac

Telephone Socket



Double RJ11

Telephone Socket



RJ11

Push

Data Socket



RJ45

SAT



British Standard Power Socket



2P+E-13A-250V ac



2P+E-15A-250V ac

SAT TV











Data







Double RCA

Audio

Socket

Switched Power Socket



2P+E-13 A-250 V ac

Switched Power Socket



2P+E-13 A-250 V ac Backlit



Switched

2P+E-13 A-250 V ac with USB



Switched

2P+E-13 A-250 V ac Twin



2P+E-13 A-250 V ac Twin - Backlit



2P+E-13 A-250 V ac Twin - with USB

USB

Socket

Italian Standard Power Socket



2x2P+E-16A-250V ac



2P+E-10A-250V ac 2P+E-16A-250V ac





0 db

SAT



Buttons

1M-1P-NO+NO-10 A With interlock

Push

Socket

Data

Telephone Socket

supply

USB power



Audio

Socket



US Office



\(+1-877-677-4040



info@microaxs.com

Williams Tower, 41st Floor, 2800 Post Oak Boulevard, Houston, TX 77056, USA

UK Office



+44-203-835-2255



wk@microaxs.com

86-90 Paul Street, London, England, United Kingdom, CE2A 4NE

MENA Office



+971-4-556-1557



mena@microaxs.com



Boulevard Plaza Tower One, Level 3, Downtown Dubai, **United Arab Emirates**