



FEATURES

- Smart Technology: Biometric unlocking methods, Remote unlock, Low power warning.
- Strong: Aluminum alloy panel, integrated diecasting, durable.
- Five Unlock Ways: Fingerprint/Password/Card/Mechanical Key.
- User capacity: Support fingerprint + password + card total capacity: 200.
- Support 32 virtual passwords, including 4 to 8 correct passwords.
- Support USB interface emergency power on and unlock.
- Power: 8pcs AA alkaline batteries
- Suitable door thickness 40~120mm.
- Suitable for house, office and appartment
- Colors: Black/Red Bronze







MX-SL6

Smart Hotel Locks 🗫



Product Parameter



O _135mm_ 48mm 48mm |-75mm-| |-75mm-| 24mm







MX-SL6

Smart Hotel Locks 💁

Technical Data

MaterialAluminum alloyColorBlack/Red BronzeCommunicationWiFi, Blueooth or ZigbeeUnlock WayFingerprint/Password/Card/Mechanical KeyUnlock Time1~1.5 secondsKeypad Type12 Digital Touch KeypadPower Supply8pcs AA alkaline batteriesBattery Life10~12 monthsStatic Current<50uA		
Communication WiFi, Blueooth or Zigbee Unlock Way Fingerprint/Password/Card/Mechanical Key Unlock Time 1~1.5 seconds Keypad Type 12 Digital Touch Keypad Power Supply 8pcs AA alkaline batteries Battery Life 10~12 months Static Current <50uA Working Currrent <180mA Working Temperature -25~60°C Working Humidity 20%~90% Virtual Password Available User Capacity Card + Password + Fingerprint: 200groups (Fingerprint: 100)	Material	Aluminum alloy
Unlock Way Fingerprint/Password/Card/Mechanical Key Unlock Time 1~1.5 seconds Keypad Type 12 Digital Touch Keypad Power Supply 8pcs AA alkaline batteries Battery Life 10~12 months Static Current <50uA Working Current <180mA Working Temperature -25~60°C Working Humidity 20%~90% Virtual Password Available User Capacity Fingerprint: 200groups (Fingerprint: 100)	Color	Black/Red Bronze
Unlock Time 1~1.5 seconds Keypad Type 12 Digital Touch Keypad Power Supply 8pcs AA alkaline batteries Battery Life 10~12 months Static Current <50uA Working Current <180mA Working Temperature -25~60°C Working Humidity 20%~90% Virtual Password Available User Capacity Card + Password + Fingerprint: 200groups (Fingerprint: 100)	Communication	WiFi, Blueooth or Zigbee
Keypad Type12 Digital Touch KeypadPower Supply8pcs AA alkaline batteriesBattery Life10~12 monthsStatic Current<50uA	Unlock Way	Fingerprint/Password/Card/Mechanical Key
Power Supply 8pcs AA alkaline batteries Battery Life 10~12 months Static Current <50uA Working Current <180mA Working Temperature -25~60°C Working Humidity 20%~90% Virtual Password Available User Capacity Card + Password + Fingerprint: 200groups (Fingerprint: 100)	Unlock Time	1~1.5 seconds
Battery Life 10~12 months Static Current <50uA Working Current <180mA Working Temperature -25~60°C Working Humidity 20%~90% Virtual Password Available User Capacity Card + Password + Fingerprint: 200groups (Fingerprint: 100)	Keypad Type	12 Digital Touch Keypad
Static Current<50uA	Power Supply	8pcs AA alkaline batteries
Working Currrent <180mA Working Temperature -25~60°C Working Humidity 20%~90% Virtual Password Available User Capacity Card + Password + Fingerprint: 200groups (Fingerprint: 100)	Battery Life	10~12 months
Working Temperature -25~60°C Working Humidity 20%~90% Virtual Password Available User Capacity Card + Password + Fingerprint: 200groups (Fingerprint: 100)	Static Current	<50uA
Working Humidity 20%~90% Virtual Password Available User Capacity Card + Password + Fingerprint: 200groups (Fingerprint: 100)	Working Currrent	<180mA
Virtual Password Available User Capacity Card + Password + Fingerprint: 200groups (Fingerprint: 100)	Working Temperature	-25~60°C
User Capacity Card + Password + Fingerprint: 200groups (Fingerprint: 100)	Working Humidity	20%~90%
	Virtual Password	Available
Door Thickness 40~120mm	User Capacity	Card + Password + Fingerprint: 200groups (Fingerprint: 100)
	Door Thickness	40~120mm



