

Designed in the U.S.A.





#### Overview

The Visual intercom system is a new product developed by MICROAXS. It uses the color TFT high-performance capacitive touch screen and high-performance processor, the system function is more perfect, the model looks elegant, simple operation, clear image, With reliable performance, High Cost-effective. Realize the two-way visual communication between visitors and residents, improve security and productivity, integrated video calling, unlocking, security alarm, Intelligent community, extensible smart Home and other Functions.

#### **Features**

- Call Function: The visitor confirms the call and the remote unlocking, and the Management Center visual intercom, The community households to speak the intercom, the indoor multi-room machine intercom.
- · Security Alarm Function: SOS Emergency help function, multi-channel professional zone alarm, mobile phone SMS Remote ALARM.
- Smart Community Features: Two-way information announcement function, weather forecast, monitoring door machine, fence machine, Community monitoring, Schedule prompt, Air monitoring.
- Scalable Smart Home Features: Lighting control, curtain control, air conditioning control, fresh air control, background music control, etc.







# Touch Panel 7" & 10"

# Intercom Touch Panel

## **Specification**

Model	Touch Panel 7" & 10"
Operating Voltage	DC 24V
Operating Current	≤800mA
Zone Power Output	DC24V, ≤200mA
Operating Temperature	0~+45°C
Storage Temperature	-20°C~+60
Quiescent Current	≤100mA
Ambient humidity	≤90%
Video Device	1/3.06'' Color 4K 1300W Pixel field
View Angle	78°
Minimum Illuminance	1Lux
Resolution	2000TVL
Display Screen	10.1"color TFT capacitive touch screen 1280*800pixel
Exterior Material	Flame Retardant PC+ABS+ Glass
Dimensions	266*152*8mm
Installation	wall mounted embedded
Mounting Dimensions	Recessed open hole 155*85*70mm







# Touch Panel 7" & 10"

# Intercom Touch Panel

### Diagram





